

Fujifilm Instax Mini Evo 1/5" 2560 x 1920 Pixel CMOS Nero, Argento

Marchio : Fujifilm

Codice prodotto: 16745157

Nome del prodotto : Instax Mini Evo

Fujifilm Instax Mini Evo. Dimensione del sensore di immagine: 1/5", Risoluzione massima immagine: 2560 x 1920 Pixel, Tipo sensore: CMOS. Campo di copertura del flash: 0,5 - 1,5 m, Modalità flash: Auto, Sempre acceso, Soppresso. Velocità massima dell'otturatore della fotocamera: 1/8000 s, Velocità massima otturatore: 0,25 s. Controllo esposizione: Programma AE, Correzione esposizione: ± 2EV (1/3EV step). Tipo di display: TFT, Dimensioni diagonale schermo: 7,62 cm (3"), Risoluzione del display: 460000 punto



Caratteristiche		Otturatore	
Dimensione del sensore di immagine *	1/5"	Velocità massima otturatore *	0,25 s
Risoluzione massima immagine *	2560 x 1920 Pixel	Esposizione alla luce	
Sensibilità ISO (max)	1600	Controllo esposizione	Programma AE
Tipo sensore *	CMOS	Correzione esposizione	± 2EV (1/3EV step)
Numero minimo di aperture	2	Display	
Tempo di stampa (min)	16 s	Display incorporato	✓
Ristampa fino a (ultime stampe)	50	Tipo di display	TFT
Bilanciamento del bianco	Auto, Fine, Fluorescente, Incandescente, Ombra	Dimensioni diagonale schermo	7,62 cm (3")
Regolazione messa a fuoco	Auto	Risoluzione del display	460000 punto
Colore del prodotto *	Nero, Argento	Connettività	
Tipi schede di memoria	MicroSD (TransFlash), MicroSDHC	Porta USB	✓
Ritardo autotimer	✓	Connettore USB	Micro-USB B
Ritardo autotimer	2,3,5,10 s	Gestione energetica	
Memoria integrata	✓	Funzionamento a batteria	✓
Gradazioni	256 colors	Tempo di ricarica	3 h
Formati immagini supportati	JPEG	Durata della batteria (foto)	100 pz
Bluetooth	✓	Condizioni ambientali	
Versione Bluetooth	4.2	Intervallo temperatura di funzionamento	5 - 40 °C
metodi di illuminazione flash	Multimisura a segmenti	Temperatura di conservazione della carta fotografica (T-T)	20 - 80 °C
Flash		Dimensioni e peso	
Flash integrato	✓	Peso	285 g
Campo di copertura del flash	0,5 - 1,5 m	Altezza	87 mm
Modalità flash	Auto, Sempre acceso, Soppresso	Profondità	36 mm
Otturatore		Larghezza	122,9 mm
Velocità massima dell'otturatore della fotocamera *	1/8000 s		

Batteria	
Batteria ricaricabile	✓
Tecnologia batteria	Ioni di Litio



4547410462555

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 08-OCT-2026. Prints or copies of Information are only valid on the printed Publication date